

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

ATTORNEY DOCKET NO. FIRST NAMED INVENTOR FILING DATE APPLICATION NO. Т MO-5494/LEA ECKEL 02/07/00 09/485,288 **EXAMINER** IM71/1221 HOKE, V BAYER CORPORATION PAPER NUMBER **ART UNIT** 100 BAYER ROAD PITTSBURGH PA 15205-9741 1714 DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

12/21/00

Application No.

App....int(s)

09/485,288

ECKEL ET AL

Examiner

Office Action Summary

VERONICA P. HOKE

Group Art Unit 1714



Responsive to communication(s) filed on	
☐ This action is FINAL.	
☐ Since this application is in condition for allowance except for formal in accordance with the practice under Ex parte Quay\835 C.D. 11;	453 O.G. 213.
A shortened statutory period for response to this action is set to expire longer, from the mailing date of this communication. Failure to respond application to become abandoned. (35 U.S.C. § 133). Extensions of tir 37 CFR 1.136(a).	THREE month(s), or thirty days, whichever is twithin the period for response will cause the
Disposition of Claim	ter en
X Claim(s) <u>1-6, 8-10, and 14-17</u>	is/are pending in the applicat
Of the above, claim(s)	is/are withdrawn from consideration
Claim(s)	is/are allowed.
X Claim(s) 1-6, 8-10, and 14-17	is/are rejected.
☐ Claim(s)	is/are objected to.
☐ Claims	are subject to restriction or election requirement
Application Papers See the attached Notice of Draftsperson's Patent Drawing Revie	w, PTO-948.
☐ The drawing(s) filed on is/are objected	to by the Examiner.
☐ The proposed drawing correction, filed on	is ☐ approved ☐disapproved.
☐ The specification is objected to by the Examiner.	
☐ The oath or declaration is objected to by the Examiner.	•
Priority under 35 U.S.C. § 119	
Acknowledgement is made of a claim for foreign priority under 3	35 U.S.C. § 119(a)-(d).
X All ☐Some* None of the CERTIFIED copies of the pri	iority documents have been
received.	
received in Application No. (Series Code/Serial Number)	
$oxed{X}$ received in this national stage application from the Intern	ational Bureau (PCT Rule 17.2(a)).
*Certified copies not received:	* 2511 C O \$ 440(a)
☐ Acknowledgement is made of a claim for domestic priority unde	er 35 U.S.C. § T19(e).
Attachment(s)	
Notice of References Cited, PTO-892	2
	<u> </u>
☐ Interview Summary, PTO-413☐ Notice of Draftsperson's Patent Drawing Review, PTO-948	
☐ Notice of Draftsperson's Patent Drawing Review, P10-946 ☐ Notice of Informal Patent Application, PTO-152	
L. Notice of illicitial Fatent Application, 1 10-102	
SEE OFFICE ACTION ON THE	FOLLOWING PAGES

Application/Control Number: 09/485288

Art Unit: 1714

Claim Rejections - 35 U.S.C. § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-6,8-10 and 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Japanese patent no. 07-11119 taken with Lee, Kakegawa et al and Nishihara et al.

The primary reference discloses PC, SAN grafted- diene rubber, an aromatic oligomeric phosphate and PTFE. The butadiene rubber has an average particle size range of 0.15 - 0.55 µm and its glass transition temperature range is not specified. Nor is the optional presence of a triaryl monophosphate indicated either.

Kakegawa et al (cols. 7-8) and Lee (col.4) each relate that it is desirable when utilizing a monophosphate flame retardant that it be used with an oligomeric phosphate to reduce "juicing" in PC/SAN grafted diene rubber blends having PTFE and phosphate flame retardants.

In so far as the glass transition temperature range of less than 0° C also characterizes the .20 - .35 µm size diene rubber component of the styrenic- grafted rubber component, Nishihara et al relates (col.9, lines 18-30) that in similarly phosphate (oligomeric and optionally monophosphate) flame retardant PC/SAN graft blends, the rubber particles need to have a glass transition temperature of - 30° C or less in order that impact strength resistance is not compromised.

Application/Control Number: 09/485288

Art Unit: 1714

The comparative example lacks any probative value since it is well known by all the applied

The comparative example lacks any probative value since it is well known by all the applied references that monoarylphosphates per se are less suitable than the oligomeric phosphate in providing the best flameproofing coupled with compatibility.

Veronce P. Hoh

vph

December 11, 2000

703 308-2444